



according to Regulation (EC) No 1907/2006

#### vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

vdw 950 Steinschutz 3in1

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Chemicals for the construction industry.

#### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

Company name: Gesellschaft für technische Kunststoffe mbH

Street: Kottenforstweg 3

Place: D-53359 Rheinbach-Flerzheim

Telephone: +49(0)2225 9157-0 Telefax: +49(0)2225 9157-57

e-mail: mail@gftk-info.de

Contact person: Labor Telephone: +49(0)2225 9157-27

Internet: www.gftk-info.de

1.4. Emergency telephone Informationszentrale gegen Vergiftungen, 53113 Bonn, Fon: +49.(0)228/19240

number: Fax: +49.(0)228/287-3314

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause an allergic skin reaction.

#### 2.2. Label elements

# Regulation (EC) No. 1272/2008

## Hazard components for labelling

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one

Signal word: Warning

Pictograms:



## **Hazard statements**

H317 May cause an allergic skin reaction.

# **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P321 Specific treatment (see instructions on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Disposal of contents/container according to regional / national / international regulations.





according to Regulation (EC) No 1907/2006

### vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 2 of 9

#### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•		
2634-33-5	1,2-benzisothiazol-3(2H)-one			
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411			
2682-20-4	20-4 2-methylisothiazol-3(2H)-one			< 0.1 %
	220-239-6	613-326-00-9	01-2120764690-50	
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0.1 %
		= 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = n Sens. 1; H317: >= 0,05 - 100	
2682-20-4	220-239-6	2-methylisothiazol-3(2H)-one	< 0.1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100  M acute; H400: M=10  M chron.; H410: M=1		

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink 1 glass of of water.


## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**





according to Regulation (EC) No 1907/2006

#### vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 3 of 9

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

No special environmental measures are necessary. Clean contaminated articles and floor according to the environmental legislation.

# 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

**Building material** 

### **SECTION 8: Exposure controls/personal protection**



according to Regulation (EC) No 1907/2006

# vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 4 of 9

### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
2682-20-4	2-methylisothiazol-3(2H)-one			
Worker DNEL	, long-term	inhalation	local	0,021 mg/m³
Worker DNEL, acute		inhalation	local	0,043 mg/m³
Consumer DNEL, long-term		inhalation	local	0,021 mg/m³
Consumer DNEL, acute		inhalation	local	0,043 mg/m³
Consumer DNEL, long-term		oral	systemic	0,027 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,053 mg/kg bw/dav

#### **PNEC values**

CAS No	Substance	
Environmenta	al compartment	Value
2634-33-5	1,2-benzisothiazol-3(2H)-one	·
Freshwater		0,00403 mg/l
Freshwater (i	ntermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	(intermittent releases)	0,00011 mg/l
Freshwater s	ediment	0,0499 mg/kg
Marine sediment		0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l
Soil		3 mg/kg
2682-20-4 2-methylisothiazol-3(2H)-one		·
Freshwater		0,00339 mg/l
Freshwater (intermittent releases)		0,00339 mg/l
Marine water		0,00339 mg/l
Marine water (intermittent releases)		0,00339 mg/l
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		0,0471 mg/kg

#### 8.2. Exposure controls



# Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 5 of 9

supplier of these gloves.

### Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

### Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

100 °C

boiling range:

Flash point: > 60 °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits: not determined Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable Gas: not applicable not applicable Pecomposition temperature: not determined pH-Value (at 20 °C):

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: 23 hPa

(at 20 °C)

Density: 1 g/cm³
Relative vapour density: not determined

9.2. Other information

Oxidizing properties

The product is not: oxidising.

Solid content: not determined Evaporation rate: not determined

**Further Information** 

# **SECTION 10: Stability and reactivity**



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 6 of 9

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-	one				
	oral	ATE mg/kg	500			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation aerosol	ATE	0,05 mg/l			
2682-20-4	2-methylisothiazol-3(2H)-one					
	oral	ATE mg/kg	100			
	dermal	ATE mg/kg	300			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation aerosol	ATE	0,05 mg/l			

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 2-methylisothiazol-3(2H)-one)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 7 of 9

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d] \$	Species	Source	Method
2682-20-4	2-methylisothiazol-3(2H)-one					
	Acute crustacea toxicity	EC50 0,056 mg/l	48 h			
	Acute bacteria toxicity	(41 mg/l)				

### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
2682-20-4	2-methylisothiazol-3(2H)-one	-0,32

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one	6,95		
2682-20-4	2-methylisothiazol-3(2H)-one	3,16		

## 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)





according to Regulation (EC) No 1907/2006

vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 8 of 9

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 0,36 % (3,6 g/l) 2004/42/EC (VOC): 0,366 % (3,66 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): -- non-hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# vdw 950 Steinschutz 3in1

Revision date: 21.12.2021 Product code: 282 Page 9 of 9

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

H315 Causes skin irritation.H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)