

Page 1
Compilation date: 13/10/2016

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: NCC Porcelain Intensive Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

NCC Ltd Unit 2 Woodside Ackhurst Road Common Bank Chorley Lancashire PR7 1NH

Email: technical@nccstreetscapes.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1287 266 696 (Office hours only 9am - 5pm Mon- Fri.) +44 (0) 771 429 0432 or +44 (0) 787 237 6754 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P405: Store locked up.

P264: Wash hands thoroughly after handling.

[cont...]



Page 2

P280: Wear protective gloves and eye protection.

P302+352: IF ON SKIN: Wash with plenty of water/soap.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+313: If skin irritation occurs: Get medical attention.

P337+313: If eye irritation persists: Get medical attention.

P362: Take off contaminated clothing.

P404: Store in a closed container.

P501: Dispose of contents/container to special waste collection point in accordance with

local authority requirements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

2-BUTOXYETHANOL - REACH registered number(s): 01-2119475108-36-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent		
203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312 Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%		
TETRAPOTAS	SIUM PYROPHO	SPHATE				
230-785-7	7320-34-5	-	Eye Irrit. 2: H319	1-10%		
(L) C9-11 PAR	ETH-9					
-	68439-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%		
AMMONIA SOLUTION						
215-647-6	1336-21-6	-	Skin Corr. 1B: H314; Aquatic Acute 1: H400	<1%		
1	Contains: * 2-BUTOXYETHANOL: TETRAPOTASSIUM PYROPHOSPHATE: (L.) C9-11 PARETH-9:					

Contains: * 2-BUTOXYETHANOL; TETRAPOTASSIUM PYROPHOSPHATE; (L) C9-11 PARETH-9;
AMMONIA SOLUTION


Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.





Page 3

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain.

The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain

may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.



Page 4

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-BUTOXYETHANOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	25 ppm	50 ppm	-	-

DNEL/PNEC Values

Hazardous ingredients:

TETRAPOTASSIUM PYROPHOSPHATE

TETION OTAGOOMT TROUTEST TAKE						
Type	Exposure	Value	Population	Effect		
DNEL	Inhalation	2.79mg/m3	Workers	Systemic		
DNEL	Oral	>70mg/kg bw/day	General Population	Systemic		
DNEL	Inhalation	0.68mg/l	General Population	Systemic		
PNEC	Fresh water	0.05mg/l	-	-		
PNEC	Marine water	0.005mg/l	-	-		
PNEC	Microorganisms in sewage treatment	50mg/l	-	-		

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.



Page 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid
Odour: Ammonia

Solubility in water: Miscible in all proportions

Relative density: 1.00 - 1.05 @ 20oC **pH:** 8-9

9.2. Other information

Other information: Aqueous solution

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

TETRAPOTASSIUM PYROPHOSPHATE





٥.	~~	c
۲a	ge	b

						Page 6
DERMAL	RBT		LD50		>2000	mg/kg
DUST/MIST	RAT		1H LC50		>1.1	mg/l
ORAL	RAT		LD50		>2000	mg/kg
(L) C9-11 PARETH-9			1			
ORAL RAT		LD50		>200<2000	mg/kg	
AMMONIA SOLUTION100%	6		I			
IVN	MUS		LD50		91	mg/kg
ORL	RAT		LD50		350	mg/kg
SCU	MUS		LDLO		160	mg/kg
Relevant hazards for produc	t:					
Hazard		Route			Basis	
Skin corrosion/irritation		DRM		Hazardous: calculated		
Serious eye damage/irritation		OPT Ha		Hazardous: calculated		
Excluded hazards for substa	ance:					
Hazard		Route			Basis	
Acute toxicity (ac. tox. 4)		-		No haza	rd: calculated	

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	-	No hazard: calculated
Acute toxicity (ac. tox. 3)	-	No hazard: calculated
Acute toxicity (ac. tox. 2)	-	No hazard: calculated
Acute toxicity (ac. tox. 1)	-	No hazard: calculated
Respiratory/skin sensitisation	-	No hazard: calculated
Germ cell mutagenicity	-	No hazard: calculated
Carcinogenicity	-	No hazard: calculated
Reproductive toxicity	-	No hazard: calculated
STOT-single exposure	-	No hazard: calculated
STOT-repeated exposure	-	No hazard: calculated
Aspiration hazard	-	No hazard: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.



Page 7

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

2-BUTOXYETHANOL

Daphnia magna	48H EC50	1550	mg/l			
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1474	ppm			
Threshold limit algae 1	72H EC50	911	mg/l			
Threshold limit algae 2	72H NOEC	88	mg/l			
TETRAPOTASSIUM PYROPHOSPHATE						
ALGAE	72H ErC50	>100	mg/l			
Daphnia magna	48H EC50	>100	mg/l			
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	>100	mg/l			
(L) C9-11 PARETH-9						
FISH	96H LC50	1-10	mg/l			

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.



Page 8

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

Streetscape

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation

(EU) No 2015/830.

This safety data sheet is prepared in accordance with Commission Regulation (EC) No

1272/2008.

indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product. [final page]



